

**AMENDMENT**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

---

Claim 1. (Original) A method comprising steps of:

indexing a media collection to create an indexed library based on a content of the media collection;

searching the indexed library to identify a set of candidate program segments based on a search criteria; and

browsing the set of candidate program segments to select a segment for viewing.

2. (Original) The method of claim 1, wherein:

the step of indexing includes extracting from the media collection for each segment of the set of candidate image segments one of closed captioning data and speech recognition data as searchable text data, the speech recognition data being extracted when closed captioning data is unavailable; and

the step of searching includes comparing the search criteria to the searchable text data in the indexed library.

3. (Original) The method of claim 2, wherein:

the step of indexing further includes a step forming a browseable image for each segment of the set of candidate program segments, each browseable image

including keywords identified in the searchable text data for display in the browseable image; and

the step of browsing includes selecting a display segment from the set of candidate program segments and displaying the associated browseable image with associated keywords.

4. (Amended) The method of claim 3, wherein:

each browseable image further includes key images identified in the indexed library for display in the browseable image; and

the step of displaying the associated browseable image ~~fruther~~ further displays associated key images.

5. (Original) The method of claim 3, wherein:

the searchable text data associated with the selected display segment includes a first word having low information content and a second word having high information content; and

the step of forming a browseable image includes selecting the second word as a keyword and rejecting the first word as a keyword.

6. (Original) The method of claim 2, wherein:

the step of indexing further includes a step forming a browseable image for each segment of the set of candidate program segments, each browseable image including key images identified in the indexed library for display in the browseable image; and

the step of browsing includes selecting a display segment from the set of candidate program segments and displaying the associated browseable image.

7. (Original) The method of claim 6, wherein:

the media associated with the selected display segment includes an image of an anchor-person having low information content and a field shot image of an event having high information content; and

the step of forming a browseable image includes selecting the field shot image as a key image and rejecting the image of the anchor-person as a key image.

8. (New) A method of indexing media for browsing, the method comprising:

indexing a media collection according to detection of speaker voice characteristics;

receiving a search query from a user to locate a media segment from the indexed media collection; and

presenting a portion of the indexed media collection according to the user search query.

9. (New) The method of claim 8, wherein indexing a media collection further comprises indexing the media collection according to visual information.

10. (New) The method of claim 8, wherein indexing a media collection according to detection of speaker voice characteristics further comprises identifying speaker speech segments.

11. (New) The method of claim 10, further comprising extracting media segments from identified speaker speech segments.
  12. (New) The method of claim 10, further comprising extracting summaries of media segments by an identified speaker.
  13. (New) The method of claim 12, wherein presenting a portion of the indexed media collection according to the user search query further comprises presenting the extracted summaries in response to the user search query.
  14. (New) The method of claim 8, wherein receiving a search query from a user further comprises receiving a natural language query.
  15. (New) The method of claim 14, further comprising receiving contextual information from a previous user interaction with the natural language query.
  16. (New) The method of claim 15, wherein the contextual information is a dialog state and the method further comprises returning an answer in an HTML format.
  17. (New) The method of 14, wherein receiving a natural language search query from a user further comprises generating a semantic description of the natural language query in terms of keyword/value pairs.
-